

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



HIGH MODULUS

PAINTED BLANK

SALTWATER SERIES

Cast/Shooting	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CS721-MHX	10.55	10.24	10.18	9.85	9.63	9.31	8.99	8.82	8.46	8.20	7.99		
CS722-MHX	10.95	10.72	10.58	10.32	10.02	9.80	9.58	9.26	9.00	8.74	8.33		
CS723-MHX	13.01	12.69	12.31	11.96	11.52	11.28	10.90	10.54	10.18	9.77	9.48		
CS724-MHX	13.15	13.12	12.58	12.21	11.89	11.55	11.22	10.85	10.62	10.23	9.89		
CS725-MHX	13.40	13.40	13.25	12.84	12.62	12.26	11.96	11.64	11.32	11.16	10.82		
CS726-MHX	13.73	13.70	13.70	13.67	13.38	13.04	12.68	12.36	12.20	11.73	11.27		

Crank Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CB783-Blend	11.43	11.13	10.93	10.65	10.33	10.06	9.69	9.38	9.13	8.78	8.49		
CB841-Blend	10.51	10.33	10.23	10.11	9.89	9.81	9.66	9.50	9.38	9.08	8.88		
CB843-Blend	12.31	12.02	11.74	11.50	11.29	10.96	10.70	10.36	9.96	9.68	9.33		
CB845-Blend	13.63	13.30	12.97	12.63	12.38	12.05	11.73	11.32	11.05	10.78	10.45		
CB847-Blend	14.23	14.00	13.75	13.45	13.09	12.74	12.40	12.08	11.72	11.38	11.01		
CB903-Blend	12.47	12.47	12.47	12.46	12.15	11.88	11.60	11.28	11.01	10.72	10.40		
CB905-Blend	14.42	14.26	14.18	13.88	13.63	13.31	12.96	12.58	12.35	12.03	11.68		
CB905-W-Blend	14.54	14.43	14.31	13.89	13.71	13.39	13	12.66	12.31	12.02	11.7		
CB906-Blend	14.48	14.48	14.34	13.98	13.66	13.49	13.05	12.72	12.42	12.1	11.79		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



CB907-Blend	14.55	14.47	14.42	14.12	13.78	13.42	13.09	12.78	12.48	12.18	11.75		
CB907-W-Blend	14.62	14.58	14.51	14.22	13.97	13.61	13.39	12.98	12.68	12.47	12.12		
CB928-Blend	15.07	15.1	15.02	15	14.59	14.27	14.01	13.71	13.33	13.04	12.75		
CB965-Blend	14.47	14.37	14.37	14.37	14.37	14.27	13.95	13.60	13.28	12.86	12.63		
CB967-Blend	14.59	14.43	14.40	14.39	14.37	14.30	14.08	13.78	13.43	13.07	12.72		
CB968-MHX	15.05	15.01	14.98	14.94	14.9	14.83	14.56	14.23	13.95	13.61	13.43		

Downrigger	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DR845-MHX													
DR1024-MHX	16.80	16.80	16.72	16.68	16.68	16.68	16.64	16.63	16.60	16.60	16.53		
DR1086-MHX	19.92	19.92	19.72	19.51	19.20	18.85	18.82	18.30	17.99	17.60	17.30		
DR1266-MHX	19.03	18.81	18.73	18.39	18.25	17.98	17.78	17.57	17.36	17.06	16.84	16.54	16.31

Drop Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DS820-Blend	12.03	11.82	11.59	11.26	10.99	10.68	10.46	10.20	9.91	9.60	9.28		
DS821-Blend	11.79	11.92	11.86	11.67	11.65	11.59	11.55	11.44	10.93	10.64	10.27		
DS822-Blend	13.85	13.77	13.64	13.32	12.99	12.74	12.45	12.05	11.64	11.39	11.00		
DS822-W-Blend	13.93	13.81	13.53	13.27	12.98	12.64	12.34	12.14	11.75	11.49	11.2		
HM-DS822-MHX	12.52	12.47	12.42	12.34	12.25	12.19	11.9	11.6	11.31	11.02	10.71		
DS823-MHX	14.15	14.07	13.76	13.4	13.16	12.93	12.56	12.21	11.98	11.67	11.29		
HM-DS8515-MHX	12.33	12.24	12.19	12.09	11.92	11.72	11.64	11.46	11.21	10.98	10.84		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Elite Pro Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
EPS78MLF-MHX													
EPS78MF-MHX													
EPS78MHF-MHX													
EPS81MLXF-MHX													
EPS81MXF-MHX													
EPS86MLF-MHX													
EPS86MF-MHX													
EPS86MHF-MHX													
EPS86HF-MHX													
EPS86MXF-MHX													
EPS86MHXF-MHX													

Flippin' / Punchin'	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
FS904-MHX	15.26	14.87	14.77	14.56	14.29	14.11	13.89	13.55	13.25	13.04	12.72		
FS906-MHX	15.44	15.27	15.04	14.83	14.67	14.39	14.06	13.78	13.60	13.34	13.03		
FS905T-MHX	15.85	15.73	15.73	15.51	15.46	15.21	15.05	14.76	14.65	14.50	14.24		
FS966T-MHX	17.26	16.90	16.59	16.41	16.16	15.82	15.55	15.27	14.97	14.83	14.79		
HM-FS925-MHX													
FP885-MHX	14.46	14.22	14.01	13.81	13.52	13.32	13.14	12.89	12.76	12.61	12.46		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



FP935-MHX	14.8	14.57	14.37	14.14	13.89	13.62	13.36	13.19	12.89	12.73	12.48		
FP936-MHX													
FP936-W-MHX	15.19	14.99	14.68	14.43	14.31	13.95	13.79	13.52	13.25	12.99	12.72		
FP937-MHX	15.26	15.12	14.96	14.75	14.53	14.31	13.96	13.8	13.56	13.31	13.2		
FS906-MHX	15.59	15.3	15	14.66	14.39	14.15	13.8	13.64	13.44	13.19	13.05		
FS966-MHX	14.8	14.71	14.57	14.39	14.26	14.01	13.85	13.76	13.61	13.4	13.36		

Fly (1 & 2 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F81011-1-MHX													
F907-1-MHX													
F908-1-MHX													
F909-1-MHX													
F910-1-MHX													
F865-2-MHX	8.59	8.55	8.44	8.32	8.12	8.00	7.82	7.65					
F902-2-MHX	8.05	8.00	7.91	7.80	7.65	7.53	7.40	7.29					
F903-2-MHX	8.22	8.22	8.01	7.90	7.81	7.65	7.48	7.38					
F904-2-MHX	8.00	7.98	7.98	7.95	7.94	7.89	7.87	7.80					
F905-2-MHX	8.70	8.69	8.60	8.60	8.51	8.49	8.40	8.34					
F906-2-MHX	8.75	8.73	8.68	8.68	8.60	8.56	8.50	8.42					
F907-2-MHX	9.92	9.90	9.95	9.85	9.82	9.67	9.53	9.33					
F908-2-MHX	10.10	10.10	10.02	10.02	10.02	9.99	9.80	9.57					
F909-2-MHX	11.99	11.77	11.67	11.49	11.28	11.12	10.95	10.88					
F910-2-MHX	9.94	9.85	9.84	9.80	9.74	9.62	9.58	9.40					

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



F912-2-MHX	12.48	12.41	12.38	12.24	12.20	12.14	12.00	11.83					
------------	-------	-------	-------	-------	-------	-------	-------	-------	--	--	--	--	--

Fly (3 & 4 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F662-3-MHX	5.91	5.68	5.62	5.37	5.12	4.83	4.70	4.60					
F663-3-MHX	6.01	5.73	5.73	5.51	5.30	5.18	4.91	4.74					
F703-3-MHX	7.01	6.81	6.71	6.62	6.35	6.10	5.83	5.68					
F704-3-MHX	7.30	7.12	6.93	6.68	6.55	6.26	6.10	5.92					
F763XF-3-MHX													
F763-4-MHX	6.75	6.60	6.60	6.60	6.50	6.35	6.18	6.01					
F764-4-MHX	7.10	7.10	7.10	7.04	6.83	6.63	6.40	6.20					
F803-4-MHX	6.65	6.60	6.60	6.60	6.45	6.30	6.07	5.87					
F804-4-MHX	7.97	7.81	7.71	7.44	7.16	6.93	6.70	6.53					
F864XF-4-MHX													
F865-4-MHX	9.28	8.89	8.68	8.41	8.10	7.80	7.48	7.25					
F903-4-MHX	8.94	8.80	8.57	8.28	8.04	7.83	7.57	7.34					
F904-4-MHX	9.05	8.98	8.81	8.55	8.22	7.92	7.75	7.50					
F905-4-MHX	9.38	9.10	8.75	8.51	8.29	8.05	7.77	7.52					
F905-4-W-MHX													
F906-4-MHX	9.59	9.34	9.28	9.01	8.65	8.36	8.10	7.81					
F907-4-MHX	9.66	9.59	9.40	9.17	8.96	8.68	8.46	8.24					
F908-4-MHX	9.75	9.70	9.43	9.25	9.00	8.73	8.55	8.31					
F909-4-MHX	10.71	10.58	10.41	10.22	9.89	9.64	9.37	9.18					
F910-4-MHX	10.90	10.69	10.45	10.29	10.02	9.84	9.48	9.22					

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



F912-4-MHX													
F967-4-MHX													
F104-4-MHX													
F105-4-MHX													
F106-4-MHX													
F107-4-MHX													
F108-4-MHX													

Hot Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
HS9000-MHX	13.00	12.72	12.50	12.31	12.00	11.76	11.35	11.06	10.55	10.18	9.92		
HS96000-MHX	13.40	13.38	13.22	12.95	12.72	12.47	12.27	11.98	11.81	11.44	11.20		
HS9600-2-MHX	13.50	13.31	13.04	12.75	12.47	12.20	11.92	11.58	11.40	11.12	10.78		
HS981-MHX	13.81	13.76	13.75	13.51	13.24	13.00	12.76	12.50	12.25	11.87	11.51		

Lt. Saltwater	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
L842-MHX	12.76	12.54	12.31	12.00	11.58	11.22	10.85	10.45	10.37	10.00	9.60		
L842-W-MHX	12.70	12.61	12.24	12.07	11.71	11.30	10.98	10.65	10.30	10.04	9.67		
L843-MHX	13.48	13.17	12.98	12.68	12.19	12.05	11.78	11.56	11.55	11.19	10.95		
L844-MHX	14.00	13.80	13.54	13.22	12.88	12.70	12.52	12.20	11.87	11.57	11.44		
L902-MHX	13.61	13.49	13.18	12.92	12.66	12.42	12.10	11.80	11.43	11.01	10.61		
L903-MHX	14.48	14.20	13.90	13.66	13.37	13.04	12.73	12.37	12.08	12.03	11.87		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



L904-MHX	15.03	14.72	14.32	14.02	13.63	13.42	13.24	12.94	12.70	12.42	12.21		
L904-2-MHX													
L904-W-MHX	15.22	14.85	14.54	14.11	13.82	13.57	13.28	13.13	12.9	12.58	12.33		
L905-MHX	20.35	19.96	19.66	19.28	18.95	18.57	17.95	17.48	16.99	16.60	16.09		
L905-2-MHX													

Mag Bass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB752XF-MHX	12.68	12.68	12.62	12.58	12.49	12.21	11.82	11.5	11.18	10.79	10.44		
HM-MB752XF-MHX													
MB753XF-MHX	13.07	12.88	12.8	12.74	12.62	12.21	11.94	11.61	11.38	10.97	10.59		
HM-MB753XF-MHX													
MB782-MHX	11.93	11.70	11.60	11.41	11.14	10.88	10.63	10.36	10.17	9.99	9.76		
HM-MB782-MHX	10.93	10.9	10.75	10.59	10.4	10.25	10.09	9.84	9.65	9.52	9.38		
MB783-MHX	13.88	13.57	13.28	12.88	12.54	12.02	11.94	11.53	11.13	10.76	10.41		
MB783XF-MHX													
MB783-COLOR-MHX	13.85	13.66	13.30	12.98	12.60	12.22	11.99	11.62	11.30	10.99	10.66		
HM-MB783-MHX	11.65	11.6	11.38	11.19	11.01	10.83	10.62	10.55	10.38	10.19	10.16		
MB784-MHX	14.38	14.00	13.73	13.40	13.09	12.69	12.33	12.00	11.61	11.25	10.92		
MB785-MHX	16.97	16.67	16.49	16.33	15.89	15.42	14.95	14.53	14.07	13.66	13.20		
MB812XF-MHX	12.87	12.82	12.75	12.66	12.66	12.59	12.58	12.34	12.08	11.69	11.39		
HM-MB812XF-MHX													
MB813XF-MHX	12.98	12.97	12.82	12.8	12.8	12.8	12.78	12.64	12.28	12.05	11.8		
MB813XF-W-MHX	13.17	13.06	12.96	12.94	12.94	12.88	12.9	12.73	12.44	12.03	11.75		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



HM-MB813XF-MHX													
MB842-MHX	12.91	12.51	12.46	12.22	12.02	11.84	11.60	11.45	11.14	10.88	10.61		
MB842-2-MHX	12.70	12.75	12.60	12.50	12.45	12.30	12.25	12.08	11.71	11.31	11.03		
MB843-MHX	14.66	14.65	14.31	13.95	13.60	13.21	12.89	12.54	12.22	11.87	11.56		
MB843-2-MHX	12.83	12.86	12.82	12.70	12.57	12.57	12.40	12.07	11.76	11.34	11.01		
MB843-COLOR-MHX	14.75	14.5	14.16	13.78	13.48	13.07	12.78	12.47	12.15	11.88	11.47		
HM-MB843-MHX	12.49	12.47	12.33	12.3	12.28	12.2	11.87	11.56	11.32	11.02	10.71		
MB844-MHX	15.25	15.07	14.77	14.46	14.14	13.72	13.39	13.07	12.71	12.38	12.08		
MB844-2-MHX	13.65	13.60	13.46	13.08	12.84	12.57	12.31	12.02	11.78	11.50	11.25		
MB844-W-MHX	15.27	15.06	14.81	14.43	14.01	13.66	13.37	12.99	12.67	12.38	12.07		
HM-MB844-MHX	13.23	13.2	13.06	12.95	12.89	12.82	12.8	12.53	12.16	11.77	11.54		
MB845-MHX	15.46	15.42	15.37	15.25	15.20	15.16	15.16	15.04	15.00	14.79	14.54		
MB862XF-MHX	12.93	12.74	12.74	12.68	12.66	12.67	12.62	12.56	12.58	12.52	12.21		
HM-MB862-MHX	12.24	12.2	12.18	12.1	12.04	11.96	11.78	11.6	11.25	11.11	10.83		
MB863XF-MHX	13.05	13.05	13.03	12.94	12.92	12.84	12.81	12.79	12.79	12.74	12.5		
MB863XF-W-MHX	13.2	13.18	13.07	13.07	13.03	12.96	12.82	12.79	12.8	12.76	12.5		
MB864XF-MHX	15.15	15.11	14.85	14.51	14.26	13.91	13.58	13.17	12.93	12.57	12.33		
MB873-MHX	14.94	14.91	14.95	14.53	14.27	13.89	13.42	12.41	12.09	11.85	11.63		
MB873-COLOR-MHX	14.96	14.94	14.95	14.69	14.35	14.01	13.76	13.41	13.07	12.70	12.35		
HM-MB873-MHX	12.93	12.78	12.7	12.51	12.34	12.22	12.02	11.82	11.63	11.53	11.37		
MB874-MHX	14.52	14.42	14.42	14.43	14.38	14.34	14.31	14.24	14.10	13.82	13.40		
MB874-W-MHX	14.27	14.19	14.18	14.15	14.02	13.97	13.82	13.88	13.94	13.62	13.24		
HM-MB874-MHX	12.93	12.83	12.67	12.53	12.34	12.21	12.09	11.99	11.87	11.74	11.67		
MB875-MHX	15.38	15.45	15.42	15.41	15.36	15.27	15.25	15.25	15.2	15.08	15.03		
MB903-MHX	14.87	14.73	14.66	14.56	14.26	13.96	13.59	13.32	12.95	12.65	12.37		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



MB904-MHX	14.28	14.19	14.19	14.14	14.09	14.04	14.04	14.01	13.98	13.95	13.64		
MB904-COLOR-MHX	14.23	14.21	14.15	14.15	14.12	14.08	14.07	14.04	13.97	13.91	13.57		
MB905-MHX	15.36	15.36	15.36	15.34	15.29	15.26	15.18	15.13	15.05	14.99	14.88		
MB941-MHX	15.06	14.63	14.19	13.88	13.35	12.96	12.70	12.41	12.09	11.85	11.63		

Musky	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MU84M-MHX													
MU84MH-MHX	16.33	16.18	16.06	16.00	15.91	15.90	15.56	15.25	14.77	14.45	14.14		
MU84H-MHX													
MU90MH-MHX													
MU90HF-MHX	18.20	17.82	17.50	17.26	16.90	16.50	16.30	16.00	15.67	15.27	15.02		
MU96MH-MHX	15.55	15.44	15.11	14.85	14.59	14.32	14.00	13.90	13.62	13.30	13.03		
MU96H-MHX	16.50	16.38	16.03	15.70	15.57	15.32	15.00	14.70	14.20	14.10	13.82		
MU96XH-MHX	18.62	18.39	18.20	17.85	17.60	17.48	16.97	16.80	16.50	16.00	15.71		
MU102H-MHX													
MU102XH-MHX	17.41	17.04	16.83	16.56	16.45	16.19	15.90	15.57	15.35	15.00	14.80		
MU108H-MHX													
MU108XH-MHX	18.29	17.87	17.61	17.35	17.09	16.86	16.60	16.37	16.10	15.80	15.41		
MU108XXH-MHX													

Popping	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



P842-MHX	13.38	13.25	13.08	12.69	12.35	11.95	11.72	11.50	11.10	10.76	10.53		
P842-2-MHX	12.82	12.80	12.75	12.63	12.30	11.99	11.73	11.23	10.89	10.56	10.10		
HM-P842-MHX	13.2	13.2	13.05	12.77	12.54	12.33	11.8	11.55	11.25	10.83	10.55		
P843-MHX	13.13	12.92	12.74	12.42	12.14	11.90	11.67	11.38	11.18	10.82	10.50		
P843-2-MHX	12.87	12.69	12.38	12.17	11.88	11.60	11.36	11.10	10.78	10.53	10.27		
HM-P843-MHX	13.3	13.23	12.87	12.54	12.21	12.01	11.56	11.24	10.83	10.53	10.16		
P844-MHX	13.13	12.83	12.68	12.42	12.11	11.82	11.59	11.31	11.00	10.74	10.44		
P844-2-MHX	12.98	12.75	12.51	12.24	11.97	11.68	11.31	11.21	10.90	10.63	10.44		
P844-W-MHX	13.19	13	12.71	12.46	12.19	12.01	11.64	11.38	11.11	10.79	10.52		
HM-P844-MHX	13.28	13.24	12.9	12.63	12.32	11.98	11.67	11.21	10.95	10.51	10.26		
P903-MHX	13.34	13.11	13.10	13.03	12.86	12.69	12.27	12.00	11.62	11.38	11.08		
P903-2-MHX	13.60	13.40	13.15	12.86	12.64	12.32	12.03	11.80	11.55	11.36	11.09		
HM-P903-MHX	13.15	13.11	13.09	13.01	12.7	12.46	12.21	11.85	11.47	11.21	10.98		
P904-MHX	13.33	13.29	13.25	13.09	12.91	12.63	12.33	12.08	11.80	11.58	11.20		
P904-2-MHX	13.83	13.60	13.35	13.06	12.80	12.52	12.28	12.00	11.78	11.50	11.26		
HM-P904-MHX	13.3	13.3	13.25	13.25	13.05	12.68	12.53	12.23	11.85	11.49	11.22		

Salmon/Steelhead	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SA1025-MHX	12.92	12.70	12.56	12.48	12.21	12.07	11.88	11.62	11.44	11.22	11.04	10.83	10.59
SA1085-MHX	14.18	13.93	13.76	13.55	13.34	13.13	12.94	12.72	12.51	12.36	12.18	11.93	11.74
SA1086F-MHX	15.77	15.55	15.25	15.06	14.82	14.65	14.50	14.09	13.87	13.72	13.51	13.23	12.99
ST1022-MHX	11.43	11.26	11.18	11.09	10.93	10.60	10.45	10.27	10.01	9.81	9.63	9.38	9.20
ST1023F-MHX	12.26	12.03	11.81	11.63	11.44	11.22	10.91	10.78	10.54	10.34	10.15	9.85	9.61

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



ST1023-MHX	12.26	12.03	11.87	11.62	11.49	11.30	11.12	10.85	10.66	10.52	10.22	9.93	9.70
ST1024F-MHX	13.91	13.71	13.60	13.36	13.05	12.70	12.55	12.25	12.05	11.74	11.48	11.12	10.85
ST1025-MHX	13.40	13.21	12.96	12.75	12.48	12.27	12.06	11.91	11.70	11.50	11.29	11.05	10.82
ST1025-W-MHX													
ST1081-MHX	11.46	11.30	11.09	10.93	10.78	10.54	10.42	10.13	9.95	9.73	9.50	9.27	9.15
ST1083F-MHX	11.61	11.61	11.61	11.54	11.54	11.42	11.26	11.20	11.20	11.12	10.91	10.73	10.46
ST1084F-MHX	14.75	14.36	14.41	14.20	13.84	13.47	13.26	12.99	12.67	12.43	12.14	11.84	11.60
ST1141-MHX	11.22	11.12	11.12	10.88	10.78	10.40	10.35	10.31	10.16	10.03	9.91	9.69	9.54
ST1142-MHX	11.52	11.34	11.17	11.08	10.85	10.67	10.47	10.31	10.13	10.00	9.86	9.72	9.52
ST1143-MHX	12.11	11.93	11.81	11.68	11.50	11.31	11.14	10.99	10.82	10.65	10.52	10.42	10.20
ST1144F-MHX	15.90	15.70	15.66	15.30	15.04	14.75	14.45	14.26	14.01	13.88	13.59	13.27	13.20
ST1203-MHX	12.41	12.34	12.24	12.18	12.13	11.98	11.91	11.83	11.71	11.55	11.34	11.15	10.96
ST1204F-MHX	16.46	16.30	16.10	15.85	15.48	15.40	14.97	14.65	14.40	14.27	14.04	13.75	13.48
ST1262-MHX	12.11	12.00	12.13	12.09	11.95	11.88	11.70	11.65	11.54	11.53	11.40	11.19	10.96
ST1263-MHX													
ST1355-MHX	17.13	16.99	16.66	16.35	16.03	15.76	15.56	15.20	14.86	14.61	14.25	13.92	13.67
ST1442-MHX	10.88	10.81	10.81	10.63	10.52	10.40	10.24	10.18	10.05	9.95	9.89	9.70	9.58
ST1562-MHX	12.25	12.06	12.06	12.03	11.86	11.68	11.62	11.36	11.31	11.18	11.07	10.93	10.70
ST1563-3-MHX													
ST1682-MHX	13.99	13.90	13.83	13.60	13.37	13.33	13.26	13.01	12.90	12.75	12.61	12.50	12.32

Saltwater Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SW410H-MHX													

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



SW60H-MHX	14.05	13.91	13.86	13.75	13.61	13.49	13.4	13.24	13.04	12.85	12.4		
SW66H-MHX	18.57	18.4	18.3	18.25	17.78	17.42	16.97	16.57	16.19	15.76	15.35		
SW66XH-MHX	18.58	18.4	18.32	18.25	17.87	17.47	17.08	16.66	16.24	15.89	15.42		
SW70H-MHX	15.3	15.12	15.09	15	14.93	14.76	14.62	14.56	14.44	14.34	14.27		
SW70M-MHX	15.24	15.1	14.92	14.78	14.44	14.17	13.84	13.65	13.4	13.16	12.94		
SW70ML-MHX	14.69	14.31	14.12	13.84	13.63	13.45	13.28	13.06	12.83	12.51	12.34		
SW70XH-MHX	19.11	19.04	18.89	18.65	18.45	18.35	18.13	17.14	17.53	17.11	16.64		
SW70XXH-MHX	19.77	19.67	19.54	19.47	19.19	19.07	19.01	18.7	18.27	17.96	17.67		
SW76H-2-MHX													
SW76H-MHX	19.09	19.07	18.97	18.85	18.8	18.61	18.47	18.29	18.21	18.18	17.7		
SW76ML-MHX													
SW76MXF-MHX													
SW76XH-2-MHX													
SW80HXF-MHX													
SW80L-MHX													
SW80M-MHX													
SW80ML-MHX													
SW86M-MHX													
SW86ML-MHX													
SW90M-MHX													
SW90ML-MHX													

S-Glass Spin/Cast	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
--------------------------	----------------	-----------	-----------	-----------	-----------	------------	------------	------------	------------	------------	------------	------------	------------

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



SSP843-MHX													
SSP844-MHX													
SSP845-MHX													
SSP846-MHX													
SSP903-MHX													

Spin Jig	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SJ720-MHX	9.98	9.68	9.57	9.22	8.98	8.75	8.51	8.25	8.02	7.77	7.52		
SJ781-MHX	11.20	11.09	10.97	10.75	10.39	10.17	9.89	9.62	9.35	9.09	8.79		
HM-SJ781-MHX	10.91	10.7	10.5	10.3	10.1	9.87	9.63	9.42	9.21	8.96	8.71		
SJ782-MHX	11.81	11.53	11.29	10.99	10.74	10.51	10.19	9.94	9.65	9.35	9.05		
SJ782-2-MHX	11.19	11.07	11.05	10.85	10.72	10.58	10.25	9.93	9.65	9.39	8.96		
SJ782-COLOR-MHX	11.93	11.62	11.38	11.18	10.90	10.63	10.34	10.09	9.79	9.44	9.24		
HM-SJ782-MHX	11.14	11.05	11.81	11.16	10.46	10.26	10.05	9.86	9.59	9.25	9.11		
SJ783-MHX	13.66	13.45	13.26	12.91	12.51	12.14	11.80	11.45	11.10	10.76	10.43		
SJ783-2-MHX	12.45	12.43	12.40	12.36	12.18	12.16	11.82	11.47	11.14	10.88	10.57		
HM-SJ783-MHX	12.86	12.86	12.65	12.35	12.12	11.82	11.55	11.3	11.06	10.75	10.64		
SJ812-MHX	12	11.72	11.58	11.33	11.12	10.87	10.63	10.34	10.18	9.88	9.55		
SJ812-W-MHX	12.21	12.02	11.71	11.39	11.2	10.99	10.71	10.45	10.22	10.01	9.7		
HM-SJ812-MHX													
SJ813-MHX	14.02	13.98	13.82	13.66	13.32	12.98	12.62	12.34	11.97	11.61	11.28		
SJ813-W-MHX	14.03	13.96	13.94	13.7	13.31	13.02	12.64	12.32	12	11.61	11.27		
HM-SJ813-MHX													

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



SJ833-MHX	13.49	13.48	13.44	13.44	13.16	12.75	12.40	12.06	11.70	11.40	10.95		
SJ841-MHX	12.16	11.84	11.76	11.40	11.14	10.90	10.68	10.41	10.15	9.83	9.62		
HM-SJ841-MHX	11.38	11.27	10.98	10.8	10.62	10.51	10.34	10.29	10.15	9.87	9.7		
SJ842-MHX	13.41	13.41	13.53	13.39	13.23	12.86	12.52	12.18	11.80	11.45	11.15		
SJ842-2-MHX	12.62	12.45	12.43	12.37	12.36	12.26	12.18	12.00	11.74	11.32	10.96		
SJ842-COLOR-MHX	13.79	13.7	13.57	13.57	13.57	13.28	12.89	12.5	12.21	11.88	11.57		
HM-SJ842-MHX	12.55	12.76	12.51	12.5	12.45	12.3	12.23	12.02	11.68	11.4	11.02		
SJ843-MHX	13.71	13.61	13.68	13.68	13.58	13.32	13.02	12.67	12.31	11.87	11.61		
SJ843-2-MHX	13.96	13.73	13.38	13.13	12.80	12.47	12.21	12.00	11.75	11.46	11.18		
SJ843-W-MHX	14.05	14.05	14.02	14	13.91	13.74	13.31	13.07	12.65	12.35	11.92		
HM-SJ843-MHX	13.32	13.4	13.36	13.34	13.3	13.22	13.12	12.79	12.51	12.21	11.93		
SJ8600-MHX	12.50	12.24	12.06	11.61	11.28	10.97	10.65	10.37	10.14	9.89	9.63		
HM-SJ871-MHX	12.04	12.02	11.8	11.63	11.52	11.38	11.26	11.19	11.01	10.83	10.55		
HM-SJ872-MHX	12.49	12.49	12.35	12.19	12.04	11.87	11.73	11.53	11.43	11.08	10.77		
SJ902-MHX	13.79	13.61	13.61	13.61	13.57	13.52	13.45	13.4	13.1	12.68	12.37		
SJ903-MHX	14.21	14.21	13.98	13.98	13.96	13.93	13.82	13.76	13.37	13.05	12.76		
SJ9000-MHX	12.86	12.53	12.33	12.03	11.80	11.55	11.22	10.84	10.46	10.15	9.92		
SJ9000-2-MHX	12.06	11.87	11.70	11.44	11.00	10.85	10.48	10.21	9.92	9.55	9.20		

Spinner Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SB811-Blend	12.63	12.34	12.12	11.84	11.57	11.32	11.02	10.77	10.45	10.25	9.91		
SB812-Blend	13.95	13.84	13.62	13.27	12.86	12.57	12.25	11.77	11.53	11.18	10.75		
SB812-W-Blend													

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



HM-SB812-MHX													
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Spinning	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
S6010-MHX	6.35	6.12	6.09	5.99	5.70	5.57	5.37	5.25	4.97	4.75	4.60		
S660-MHX	6.48	6.44	6.32	6.18	6.12	6.03	5.85	5.69	5.50	5.33	5.10		
S661-MHX	7.16	6.96	6.80	6.59	6.41	6.25	6.07	5.75	5.71	5.53	5.37		
S661-2-MHX	7.27	7.15	6.96	6.78	6.63	6.46	6.27	6.07	5.84	5.69	5.50		
S720-MHX	6.79	6.79	6.71	6.61	6.54	6.46	6.29	6.21	6.13	5.96	5.71		
S721-MHX	7.52	7.37	7.27	6.14	6.96	6.76	6.57	6.36	6.20	6.00	5.80		
S721-2-MHX	7.56	7.45	7.31	7.11	6.95	6.79	6.61	6.43	6.25	6.06	5.87		
S781-MHX	7.99	7.77	7.64	7.50	7.29	7.09	6.90	6.79	6.59	6.40	6.23		
S781-2-MHX	7.90	7.81	7.77	7.60	7.46	7.30	7.13	6.96	6.79	6.62	6.43		
S781-W-MHX													
S782-MHX	8.40	8.30	8.22	8.01	7.83	7.67	7.47	7.30	7.16	6.99	6.81		
S782-2-MHX	8.50	8.24	8.11	7.95	7.79	7.65	7.48	7.27	7.10	6.42	6.77		
S841-MHX	8.36	8.22	8.01	7.94	7.74	7.65	7.52	7.36	7.24	7.08	6.88		
S842-MHX	10.41	10.32	10.02	9.85	9.61	9.35	9.16	9.01	8.89	8.60	8.37		
S842-2-MHX	8.54	8.43	8.30	8.15	8.02	7.83	7.71	7.58	7.44	7.24	7.08		
S842-W-MHX													
S842-2-W-MHX													
S871-2-MHX	8.87	8.66	8.52	8.33	8.19	7.99	7.82	7.70	7.58	7.40	7.27		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Surf	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SU965F-MHX	15.26	14.89	14.78	14.47	14.10	13.92	13.84	13.53	13.13	12.98	12.74	12.48	12.16
SU1025F-MHX													
SU1085F-MHX	16.61	16.41	16.34	16.17	15.84	15.59	15.31	15.03	14.78	14.61	14.30	14.80	13.86
SU1085F-2-MHX	15.10	14.95	14.93	14.81	14.76	14.66	14.60	14.53	14.44	14.40	14.32	14.14	13.87
SU1087F-MHX	16.90	16.75	16.52	16.24	16.13	15.85	15.57	15.38	15.13	14.79	14.54	14.23	13.97
SU1087F-2-MHX	15.33	15.30	15.27	15.17	15.09	15.05	15.03	14.88	14.80	14.67	14.58	14.45	14.35
SU1088F-MHX	17.31	17.11	16.84	16.60	16.30	16.04	15.77	15.55	15.18	14.93	14.63	14.35	14.08
SU1088F-2-MHX	16.18	16.09	16.09	15.98	15.96	15.90	15.88	15.77	15.67	15.62	15.51	15.43	15.17
SU1089F-MHX	17.42	17.26	17.01	16.78	16.47	16.28	16.05	15.72	15.44	15.15	14.87	14.55	14.21
SU1147F-MHX	17.68	17.44	17.25	17.02	16.97	16.74	16.53	16.31	16.00	15.70	15.41	15.10	14.79
SU1195F-MHX	17.81	17.59	17.39	17.21	16.94	16.72	16.46	16.21	16.00	15.73	15.48	15.24	14.96
SU1197F-MHX	18.07	18.07	17.79	17.52	17.28	16.94	16.77	16.54	16.26	16.00	15.71	15.40	15.12
SU1198F-MHX	17.97	17.55	17.48	17.36	17.10	16.96	16.85	16.54	16.26	16.09	15.71	15.43	15.17
SU1199F-MHX	18.44	18.26	17.92	17.78	17.68	17.77	17.31	16.98	16.81	16.52	16.20	16.07	15.84
SU1207F-2-MHX	17.15	17.10	17.07	17.01	17.01	16.93	16.84	16.67	16.63	16.56	16.46	16.33	16.12
SU1208F-2-MHX	19.73	19.53	19.34	19.06	18.80	18.50	18.29	18.04	17.76	17.47	17.22	16.96	16.68
SU1209F-2-MHX	20.22	19.99	19.64	19.40	19.12	18.90	18.63	18.43	18.19	17.93	17.64	17.42	17.08

Swimbait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SWB956-Blend													
SWB956-W-Blend													

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



SWB967-Blend													
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Travel - FW Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TFW721-3-MHX													
TFW781-3-MHX													
TFW782-3-MHX													
TFW841-3-MHX													
TFW842-3-MHX													

Travel - Original	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TR842-3-MHX													
TR843-3-MHX													
TR844-3-MHX													
TR844.5-3-MHX													
TR845-3-MHX													
TR846-3-MHX													
TR902-3-MHX													
TR903-3-MHX													
TR904-3-MHX													
TR905-3-MHX													
TR906-3-MHX													

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



X-Glass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CCB834-MHX	14.85	14.60	14.29	14.04	13.73	13.37	13.05	12.81	12.53	12.35	11.94		
CCB865-MHX	17.34	17.19	17.10	17.00	16.90	16.78	16.67	16.54	16.08	15.65	15.26		